



## Panel for Rack 19" 1RU, with a capacity of up to 24 "F" adapters

Designed to house up to 24 female "F" coaxial adapter units - "F" female (ref. 417302), it can be used as a junction point (coaxial patch panel). It allows to have a fixed distribution network, to which different signals can be delivered, just through a reconnection on the panel.

<b>Ref.</b>	533150
<b>Logical ref.</b>	UFB24F
<b>EAN13</b>	8424450182567

### Packaging info

<b>Box</b>	1 pcs.
------------	--------

### Physical data

<b>Net weight</b>	300.00 g
<b>Gross weight</b>	399.00 g
<b>Width</b>	486.00 mm
<b>Height</b>	45.00 mm
<b>Depth</b>	12.00 mm
<b>Main product weight</b>	300.00 g

### Highlights

- High strength and durability: made of steel, with a coating based on polyester resins and lead-free pigments

- Each connector is identified with a laser-marked number (1...24)
- Designed as 1RU
- Includes 4 screws and 4 nuts for installation in a 19"-rack.
- Black colour (RAL 9005)

## Technical specifications : Ref. 533150

Number of rack units (HE)			1
Modular spacing (standard)	in		19
Connectors type			RF
Number of connectors			24
Material			Steel
Colour			Black